

**ERRATUM:** Wrong page numbers are given in the original table of content for chapters 1–3. Correct page numbers are given here. We apologise for any inconvenience caused.

The Publisher



## Table of content

<b>Acknowledgement</b> .....	VII
<b>Foreword</b> .....	IX
<b>List of symbols used</b> .....	XV
I. Greek symbols .....	XV
II. Latin symbols .....	XV
<b>1 Basics</b> .....	1
1.1 Basics and technical implementation of bentonite lubrication systems....	1
1.1.1 Control unit .....	2
1.1.2 Mixing tank .....	2
1.1.3 Storage tank .....	3
1.1.4 Main jacking station .....	3
1.1.5 Tunnelling machine .....	3
1.1.6 Lubrication ring .....	3
1.1.7 Intermediate jacking station .....	3
1.1.8 Jacked pipe .....	3
1.1.9 Lubrication station .....	3
1.1.10 Injection fittings .....	4
1.1.11 Bentonite pump .....	4
1.1.12 Compressed air feed .....	5
1.1.13 Control cable .....	5
1.1.14 Bentonite or feed line .....	5
1.2 Annular gap lubrication in pipe jacking .....	5
1.3 Preliminary remarks about the ground .....	6
<b>2 Bentonite and bentonite suspensions</b> .....	9
2.1 Composition and structure .....	9
2.2 Hydration behaviour .....	10
2.3 Card house structure and thixotropy .....	11
2.4 Yield point, viscosity and gel strength .....	12
2.5 Stability .....	17
2.6 Usual types of bentonite .....	19
2.6.1 Natural bentonite (Ca or Na) .....	19
2.6.2 Activated or active bentonite .....	19
2.6.3 Bentonite with polymer additives .....	20

<b>3</b>	<b>Additives</b> .....	21
3.1	Polymers .....	21
3.1.1	Functions of polymer additives .....	21
3.2	Types of polymer additives .....	24
3.2.1	Starch .....	24
3.2.2	Xanthan .....	25
3.2.3	Guaran .....	26
3.2.4	Modified celluloses (PAC, MEC, HEC, CMC) .....	26
3.2.5	Polyacrylamide/-acrylate .....	27
3.3	Overview of polymer additives and their functions .....	27
<b>4</b>	<b>Correct preparation of bentonite suspensions</b> .....	29
4.1	Mixing .....	29
4.1.1	Procedure for the preparation of suspension .....	30
4.2	Mixing equipment .....	33
4.3	Mixing instructions .....	34
4.3.1	Mixing instructions for mixers with mixing pump .....	34
4.3.2	Mixing instructions for mixers with water jet pump .....	34
4.4	Hydration tank .....	35
<b>5</b>	<b>Properties of the suspension and measurement processes</b> .....	37
5.1	Viscosity: Marsh funnel .....	37
5.2	Yield point: ball-harp rheometer .....	40
5.3	Viscosity and gel strength: Rotational viscometer .....	42
5.4	Filtrate water and thickness of filter cake: filter press .....	43
5.5	Density .....	45
5.5.1	Measurement using a mud balance .....	45
5.5.2	Measurement using a pycnometer .....	45
5.6	Water hardness: test strips .....	46
5.7	pH value .....	46
5.7.1	Determination with pH test strips .....	46
5.7.2	Measurement with a pH meter .....	46
5.8	Conductivity .....	46
5.9	Temperature .....	47
<b>6</b>	<b>Ground and groundwater</b> .....	49
6.1	Geology of solid rock .....	49
6.1.1	Classification of rocks .....	50
6.1.2	Mineral content and mineral structure .....	50
6.1.3	Uniaxial rock compression strength .....	50
6.1.4	Tension strength .....	53
6.1.5	Rock mass strength .....	54
6.1.6	Rock abrasiveness .....	54
6.1.7	Interface structure .....	55
6.1.8	Degree of weathering .....	58
6.1.9	Rock mass classification .....	59

6.2	Geology of soils.....	65
6.2.1	Types of minerals.....	65
6.2.2	Grain size and grain size distribution.....	65
6.2.3	Grain rounding.....	77
6.2.4	Pores.....	78
6.2.5	Compactness.....	80
6.2.6	Shear strength.....	82
6.2.7	Atterberg limits.....	83
6.2.8	Swelling capability.....	85
6.3	Stability and stand-up time.....	85
6.3.1	Assessment of stability according to the working face behaviour.....	85
6.3.2	Evaluation of stand-up time using the RMR and Q systems.....	87
6.4	Hydrogeology.....	88
6.4.1	Basic hydrological terms.....	88
6.4.2	Permeability.....	89
6.4.3	Determination of permeability of soil.....	93
6.4.4	Determination of permeability in rock.....	96
6.5	Influence of various rock properties on the use of bentonite.....	99
6.6	Contamination in the ground, groundwater or mixing water.....	100
6.6.1	pH value.....	100
6.6.2	Salt water.....	101
6.6.3	Water hardness due to calcium or magnesium ions.....	101
6.6.4	Chlorine.....	102
6.6.5	Iron.....	102
6.6.6	Humic acids.....	102
6.6.7	Cement / concrete.....	102
6.6.8	Overview of the thresholds for contamination of the mixing water.....	103
6.6.9	Effects of contaminations on the properties of the suspension.....	103
<b>7</b>	<b>Bentonite suspensions for annular gap lubrication.....</b>	<b>105</b>
7.1	Size of the annular gap.....	105
7.1.1	Skin friction.....	106
7.2	Vertical position of the pipe string in the driven cavity.....	107
7.2.1	Floating.....	108
7.2.2	Ballasting.....	109
7.2.3	Vertical position of the pipe string in stable ground.....	109
7.2.4	Vertical position of the pipe string in unstable ground.....	110
7.3	Functions of the lubricant in the annular gap.....	111
7.3.1	Support function.....	112
7.3.2	Lubricating function.....	115
7.3.3	Carrying capacity.....	116
7.3.4	Consequences of poor adaptation of the lubricant.....	117
7.4	Adaptation of the bentonite suspension to the ground.....	119
7.4.1	Basic geological parameters.....	119
7.4.2	Flow diagrams for rock.....	119
7.4.3	Flow diagrams for soils.....	121

7.4.4	Relationships between ground and lubricant parameters .....	123
7.4.5	Hydrogeological parameters.....	124
7.5	Rheological parameters of the bentonite suspension.....	124
7.5.1	Particle size.....	125
7.5.2	Yield point.....	127
7.5.3	Viscosity.....	129
7.5.4	Gel strength.....	130
7.6	Suspension quantities.....	132
7.6.1	Definition of terms.....	132
7.6.2	Basic principles for the determination of the required suspension quantity.....	141
7.6.3	Calculation of the suspension quantities $V_{\text{machine}}$ and $V_{\text{pipe string}}$ .....	145
7.7	Time-dependant loss volumes.....	147
7.8	Lubrication strategies.....	148
7.8.1	Interval-controlled systems.....	148
7.8.2	Volume-controlled systems.....	150
7.8.3	Lubrication strategies for initial and subsequent injection.....	152
7.8.4	Special lubrication strategies with Direct Pipe© and related processes ...	153
<b>8</b>	<b>Lubrication technology</b> .....	155
8.1	Arrangement and spacing of the lubrication points in the pipe string .....	155
8.2	Number and arrangement of the injection fittings per lubricating point in the pipe cross-section .....	156
8.3	Non-return valves.....	157
8.4	Lubrication circuit .....	158
8.5	Interaction between the support pressure at the face and the annular gap pressure.....	159
8.6	Bentonite supply in the starting area.....	160
8.7	Lubricant pressure, lubricant quantity and pressure losses.....	161
<b>9</b>	<b>Reporting</b> .....	163
9.1	Which parameters should be documented for bentonite lubrication? .....	163
9.2	Forms.....	163
<b>10</b>	<b>Lists of the required injection quantities</b> .....	167
10.1	Explanation of the lists.....	167
<b>Literature</b>	.....	197